


O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50001	0.04	0.029	0.109	1.02	0.74	2.78
ISK 50002	0.05	0.042	0.142	1.27	1.07	3.61
ISK 50003	0.06	0.056	0.176	1.52	1.42	4.46
ISK 50004	0.07	0.07	0.21	1.78	1.78	5.34
ISK 50005	0.07	0.101	0.241	1.78	2.57	6.13
ISK 50006	0.07	0.114	0.254	1.78	2.9	6.46
ISK 50007	0.07	0.145	0.285	1.78	3.68	7.24
ISK 50008	0.07	0.176	0.316	1.78	4.47	8.03
ISK 50009	0.07	0.208	0.348	1.78	5.28	8.84
ISK 50010	0.07	0.239	0.379	1.78	6.07	9.63
ISK 50011	0.07	0.301	0.441	1.78	7.65	11.21
ISK 50012	0.07	0.364	0.504	1.78	9.25	12.81
ISK 50013	0.07	0.426	0.566	1.78	10.82	14.38
ISK 50014	0.07	0.489	0.629	1.78	12.42	15.98
ISK 50015	0.07	0.551	0.691	1.78	14	17.56
ISK 50016	0.07	0.614	0.754	1.78	15.6	19.16
ISK 50017	0.07	0.676	0.816	1.78	17.17	20.73
ISK 50018	0.07	0.739	0.879	1.78	18.77	22.33
ISK 50019	0.07	0.801	0.941	1.78	20.35	23.91
ISK 50020	0.07	0.864	1.004	1.78	21.95	25.51
ISK 50021	0.07	0.926	1.066	1.78	23.52	27.08
ISK 50022	0.07	0.989	1.129	1.78	25.12	28.68
ISK 50023	0.07	1.051	1.191	1.78	26.7	30.26
ISK 50024	0.07	1.114	1.254	1.78	28.3	31.86
ISK 50025	0.07	1.176	1.316	1.78	29.87	33.43
ISK 50026	0.07	1.239	1.379	1.78	31.47	35.03
ISK 50027	0.07	1.301	1.441	1.78	33.05	36.61
ISK 50028	0.07	1.364	1.504	1.78	34.65	38.21
ISK 50029	0.07	1.489	1.629	1.78	37.82	41.38
ISK 50030	0.07	1.614	1.754	1.78	41	44.56
ISK 50031	0.07	1.739	1.879	1.78	44.17	47.73
ISK 50032	0.07	1.864	2.004	1.78	47.35	50.91
ISK 50033	0.07	1.989	2.129	1.78	50.52	54.08
ISK 50034	0.07	2.114	2.254	1.78	53.7	57.26
ISK 50035	0.07	2.239	2.379	1.78	56.87	60.43




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50036	0.07	2.364	2.504	1.78	60.05	63.61
ISK 50037	0.07	2.489	2.629	1.78	63.22	66.78
ISK 50038	0.07	2.614	2.754	1.78	66.4	69.96
ISK 50039	0.07	2.739	2.879	1.78	69.57	73.13
ISK 50040	0.07	2.864	3.004	1.78	72.75	76.31
ISK 50041	0.07	2.989	3.129	1.78	75.92	79.48
ISK 50042	0.07	3.239	3.379	1.78	82.27	85.83
ISK 50043	0.07	3.489	3.629	1.78	88.62	92.18
ISK 50044	0.07	3.739	3.879	1.78	94.97	98.53
ISK 50045	0.07	3.989	4.129	1.78	101.32	104.88
ISK 50046	0.07	4.239	4.379	1.78	107.67	111.23
ISK 50047	0.07	4.489	4.629	1.78	114.02	117.58
ISK 50048	0.07	4.739	4.879	1.78	120.37	123.93
ISK 50049	0.07	4.989	5.129	1.78	126.72	130.28
ISK 50050	0.07	5.239	5.379	1.78	133.07	136.63




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50051	0.103	0.049	0.255	2.62	1.24	6.48
ISK 50052	0.103	0.081	0.287	2.62	2.06	7.3
ISK 50053	0.103	0.112	0.318	2.62	2.84	8.08
ISK 50054	0.103	0.143	0.349	2.62	3.63	8.87
ISK 50055	0.103	0.174	0.38	2.62	4.42	9.66
ISK 50056	0.103	0.206	0.412	2.62	5.23	10.47
ISK 50057	0.103	0.237	0.443	2.62	6.02	11.26
ISK 50058	0.103	0.299	0.505	2.62	7.59	12.83
ISK 50059	0.103	0.362	0.568	2.62	9.19	14.43
ISK 50060	0.103	0.424	0.63	2.62	10.77	16.01
ISK 50061	0.103	0.487	0.693	2.62	12.37	17.61
ISK 50062	0.103	0.549	0.755	2.62	13.94	19.18
ISK 50063	0.103	0.612	0.818	2.62	15.54	20.78
ISK 50064	0.103	0.674	0.88	2.62	17.12	22.36
ISK 50065	0.103	0.737	0.943	2.62	18.72	23.96
ISK 50066	0.103	0.799	1.005	2.62	20.29	25.54
ISK 50067	0.103	0.862	1.068	2.62	21.89	27.13
ISK 50068	0.103	0.924	1.13	2.62	23.47	28.71
ISK 50069	0.103	0.987	1.193	2.62	25.07	30.31
ISK 50070	0.103	1.049	1.255	2.62	26.64	31.88
ISK 50071	0.103	1.112	1.318	2.62	28.24	33.48
ISK 50072	0.103	1.174	1.38	2.62	29.82	35.06
ISK 50073	0.103	1.237	1.443	2.62	31.42	36.66
ISK 50074	0.103	1.299	1.505	2.62	32.99	38.23
ISK 50075	0.103	1.362	1.568	2.62	34.59	39.83
ISK 50076	0.103	1.424	1.63	2.62	36.17	41.41
ISK 50077	0.103	1.487	1.693	2.62	37.77	43.01
ISK 50078	0.103	1.549	1.755	2.62	39.34	44.58
ISK 50079	0.103	1.612	1.818	2.62	40.94	46.18
ISK 50080	0.103	1.674	1.88	2.62	42.52	47.76
ISK 50081	0.103	1.737	1.943	2.62	44.12	49.36
ISK 50082	0.103	1.799	2.005	2.62	45.69	50.93
ISK 50083	0.103	1.862	2.068	2.62	47.29	52.54
ISK 50084	0.103	1.925	2.131	2.62	48.9	54.14
ISK 50085	0.103	1.987	2.193	2.62	50.47	55.71




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50086	0.103	2.05	2.256	2.62	52.07	57.31
ISK 50087	0.103	2.112	2.318	2.62	53.64	58.88
ISK 50088	0.103	2.175	2.381	2.62	55.25	60.49
ISK 50089	0.103	2.237	2.443	2.62	56.82	62.06
ISK 50090	0.103	2.3	2.506	2.62	58.42	63.66
ISK 50091	0.103	2.362	2.568	2.62	59.99	65.23
ISK 50092	0.103	2.425	2.631	2.62	61.6	66.84
ISK 50093	0.103	2.487	2.693	2.62	63.17	68.41
ISK 50094	0.103	2.55	2.756	2.62	64.77	70.01
ISK 50095	0.103	2.612	2.818	2.62	66.34	71.58
ISK 50096	0.103	2.675	2.881	2.62	67.95	73.19
ISK 50097	0.103	2.737	2.943	2.62	69.52	74.76
ISK 50098	0.103	2.8	3.006	2.62	71.12	76.36
ISK 50099	0.103	2.862	3.068	2.62	72.69	77.93
ISK 50100	0.103	2.987	3.193	2.62	75.87	81.11
ISK 50101	0.103	3.237	3.443	2.62	82.22	87.46
ISK 50102	0.103	3.487	3.693	2.62	88.57	93.81
ISK 50103	0.103	3.737	3.943	2.62	94.92	100.16
ISK 50104	0.103	3.987	4.193	2.62	101.27	106.51
ISK 50105	0.103	4.237	4.443	2.62	107.62	112.86
ISK 50106	0.103	4.487	4.693	2.62	113.97	119.21
ISK 50107	0.103	4.737	4.943	2.62	120.32	125.56
ISK 50108	0.103	4.987	5.193	2.62	126.67	131.91
ISK 50109	0.103	5.237	5.443	2.62	133.02	138.26
ISK 50110	0.103	5.487	5.693	2.62	139.37	144.61
ISK 50111	0.103	5.737	5.943	2.62	145.72	150.96
ISK 50112	0.103	5.987	6.193	2.62	152.07	157.31
ISK 50113	0.103	6.237	6.443	2.62	158.42	163.66
ISK 50114	0.103	6.487	6.693	2.62	164.77	170.01
ISK 50115	0.103	6.737	6.943	2.62	171.12	176.36
ISK 50116	0.103	6.987	7.193	2.62	177.47	182.71
ISK 50117	0.103	7.237	7.443	2.62	183.82	189.06
ISK 50118	0.103	7.487	7.693	2.62	190.17	195.41
ISK 50119	0.103	7.737	7.943	2.62	196.52	201.76
ISK 50120	0.103	7.987	8.193	2.62	202.87	208.11




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50120	0.103	7.987	8.193	2.62	202.87	208.11
ISK 50121	0.103	8.237	8.443	2.62	209.22	214.46
ISK 50122	0.103	8.487	8.693	2.62	215.57	220.81
ISK 50123	0.103	8.737	8.943	2.62	221.92	227.16
ISK 50124	0.103	8.987	9.193	2.62	228.27	233.51
ISK 50125	0.103	9.237	9.443	2.62	234.62	239.86
ISK 50126	0.103	9.487	9.693	2.62	240.97	246.21
ISK 50127	0.103	9.737	9.943	2.62	247.32	252.56




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50128	0.139	0.171	0.449	3.53	4.34	11.4
ISK 50129	0.139	0.234	0.512	3.53	5.94	13
ISK 50130	0.139	0.296	0.574	3.53	7.52	14.58
ISK 50131	0.139	0.359	0.637	3.53	9.12	16.18
ISK 50132	0.139	0.421	0.699	3.53	10.69	17.75
ISK 50133	0.139	0.484	0.762	3.53	12.29	19.35
ISK 50134	0.139	0.546	0.824	3.53	13.87	20.93
ISK 50135	0.139	0.609	0.887	3.53	15.47	22.53
ISK 50136	0.139	0.671	0.949	3.53	17.04	24.1
ISK 50137	0.139	0.734	1.012	3.53	18.64	25.7
ISK 50138	0.139	0.796	1.074	3.53	20.22	27.28
ISK 50139	0.139	0.859	1.137	3.53	21.82	28.88
ISK 50140	0.139	0.921	1.199	3.53	23.39	30.45
ISK 50141	0.139	0.984	1.262	3.53	24.99	32.06
ISK 50142	0.139	1.046	1.324	3.53	26.57	33.63
ISK 50143	0.139	1.109	1.387	3.53	28.17	35.23
ISK 50144	0.139	1.171	1.449	3.53	29.74	36.8
ISK 50145	0.139	1.234	1.512	3.53	31.34	38.4
ISK 50146	0.139	1.296	1.574	3.53	32.92	39.98
ISK 50147	0.139	1.359	1.637	3.53	34.52	41.58
ISK 50148	0.139	1.421	1.699	3.53	36.09	43.15
ISK 50149	0.139	1.484	1.762	3.53	37.69	44.75
ISK 50150	0.139	1.609	1.887	3.53	40.87	47.93
ISK 50151	0.139	1.734	2.012	3.53	44.04	51.1
ISK 50152	0.139	1.859	2.137	3.53	47.22	54.28
ISK 50153	0.139	1.984	2.262	3.53	50.39	57.45
ISK 50154	0.139	2.109	2.387	3.53	53.57	60.63
ISK 50155	0.139	2.234	2.512	3.53	56.74	63.8
ISK 50156	0.139	2.359	2.637	3.53	59.92	66.98
ISK 50157	0.139	2.484	2.762	3.53	63.09	70.15
ISK 50158	0.139	2.609	2.887	3.53	66.27	73.33
ISK 50159	0.139	2.734	3.012	3.53	69.44	76.5
ISK 50160	0.139	2.859	3.137	3.53	72.62	79.68




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50161	0.139	2.984	3.262	3.53	75.79	82.85
ISK 50162	0.139	3.109	3.387	3.53	78.97	86.03
ISK 50163	0.139	3.234	3.512	3.53	82.14	89.2
ISK 50164	0.139	3.359	3.637	3.53	85.32	92.38
ISK 50165	0.139	3.484	3.762	3.53	88.49	95.55
ISK 50166	0.139	3.609	3.887	3.53	91.67	98.73
ISK 50167	0.139	3.734	4.012	3.53	94.84	101.9
ISK 50168	0.139	3.859	4.137	3.53	98.02	105.08
ISK 50169	0.139	3.984	4.262	3.53	101.19	108.25
ISK 50170	0.139	4.109	4.387	3.53	104.37	111.43
ISK 50171	0.139	4.234	4.512	3.53	107.54	114.6
ISK 50172	0.139	4.359	4.637	3.53	110.72	117.78
ISK 50173	0.139	4.484	4.762	3.53	113.89	120.95
ISK 50174	0.139	4.609	4.887	3.53	117.07	124.13
ISK 50175	0.139	4.734	5.012	3.53	120.24	127.3
ISK 50176	0.139	4.859	5.137	3.53	123.42	130.48
ISK 50177	0.139	4.984	5.262	3.53	126.59	133.65
ISK 50178	0.139	5.109	5.387	3.53	129.77	136.83
ISK 50179	0.139	5.234	5.512	3.53	132.94	140
ISK 50180	0.139	5.359	5.637	3.53	136.12	143.18
ISK 50181	0.139	5.484	5.762	3.53	139.29	146.35
ISK 50182	0.139	5.609	5.887	3.53	142.47	149.53
ISK 50183	0.139	5.734	6.012	3.53	145.64	152.71
ISK 50184	0.139	5.859	6.137	3.53	148.82	155.88
ISK 50185	0.139	5.984	6.262	3.53	151.99	159.05
ISK 50186	0.139	6.234	6.512	3.53	158.34	165.4
ISK 50187	0.139	6.484	6.762	3.53	164.69	171.75
ISK 50188	0.139	6.734	7.012	3.53	171.04	178.1
ISK 50189	0.139	6.984	7.262	3.53	177.39	184.45
ISK 50190	0.139	7.234	7.512	3.53	183.74	190.8
ISK 50191	0.139	7.484	7.762	3.53	190.09	197.15
ISK 50192	0.139	7.734	8.012	3.53	196.44	203.5
ISK 50193	0.139	7.984	8.262	3.53	202.79	209.85
ISK 50194	0.139	8.234	8.512	3.53	209.14	216.2
ISK 50195	0.139	8.484	8.762	3.53	215.49	222.55
ISK 50196	0.139	8.734	9.012	3.53	221.84	228.9
ISK 50197	0.139	8.984	9.262	3.53	228.19	235.25




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50198	0.139	9.234	9.512	3.53	234.54	241.6
ISK 50199	0.139	9.484	9.762	3.53	240.89	247.95
ISK 50200	0.139	9.734	10.012	3.53	247.24	254.3
ISK 50201	0.139	9.984	10.262	3.53	253.59	260.65
ISK 50202	0.139	10.484	10.762	3.53	266.29	273.35
ISK 50203	0.139	10.984	11.262	3.53	278.99	286.05
ISK 50204	0.139	11.484	11.762	3.53	291.69	298.75
ISK 50205	0.139	11.984	12.262	3.53	304.39	311.45
ISK 50206	0.139	12.984	13.262	3.53	329.79	336.85
ISK 50207	0.139	13.984	14.262	3.53	355.19	362.25
ISK 50208	0.139	14.984	15.262	3.53	380.59	387.65
ISK 50209	0.139	15.955	16.233	3.53	405.26	412.32
ISK 50210	0.139	16.955	17.233	3.53	430.66	437.72
ISK 50211	0.139	17.955	18.233	3.53	456.06	463.12
ISK 50212	0.21	0.412	0.832	5.33	10.46	21.12
ISK 50213	0.21	0.475	0.895	5.33	12.07	22.73
ISK 50214	0.21	0.537	0.957	5.33	13.64	24.3
ISK 50215	0.21	0.6	1.02	5.33	15.24	25.9
ISK 50216	0.21	0.662	1.082	5.33	16.81	27.47
ISK 50217	0.21	0.725	1.145	5.33	18.42	29.08
ISK 50218	0.21	0.787	1.207	5.33	19.99	30.65
ISK 50219	0.21	0.85	1.27	5.33	21.59	32.25
ISK 50220	0.21	0.912	1.332	5.33	23.16	33.82
ISK 50221	0.21	0.975	1.395	5.33	24.77	35.43
ISK 50222	0.21	1.037	1.457	5.33	26.34	37
ISK 50223	0.21	1.1	1.52	5.33	27.94	38.6
ISK 50224	0.21	1.162	1.582	5.33	29.51	40.17
ISK 50225	0.21	1.225	1.645	5.33	31.12	41.78
ISK 50226	0.21	1.287	1.707	5.33	32.69	43.35
ISK 50227	0.21	1.35	1.77	5.33	34.29	44.95
ISK 50228	0.21	1.475	1.895	5.33	37.47	48.13
ISK 50229	0.21	1.6	2.02	5.33	40.64	51.3
ISK 50230	0.21	1.725	2.145	5.33	43.82	54.48
ISK 50231	0.21	1.85	2.27	5.33	46.99	57.65
ISK 50232	0.21	1.975	2.395	5.33	50.17	60.83
ISK 50233	0.21	2.1	2.52	5.33	53.34	64
ISK 50234	0.21	2.225	2.645	5.33	56.52	67.18
ISK 50235	0.21	2.35	2.77	5.33	59.69	70.35
ISK 50236	0.21	2.475	2.895	5.33	62.87	73.53
ISK 50237	0.21	2.6	3.02	5.33	66.04	76.7
ISK 50238	0.21	2.725	3.145	5.33	69.22	79.88
ISK 50239	0.21	2.85	3.27	5.33	72.39	83.05




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50240	0.21	2.975	3.395	5.33	75.57	86.23
ISK 50241	0.21	3.1	3.52	5.33	78.74	89.4
ISK 50242	0.21	3.225	3.645	5.33	81.92	102.58
ISK 50243	0.21	3.35	3.77	5.33	85.09	95.75
ISK 50244	0.21	3.475	3.895	5.33	88.27	98.93
ISK 50245	0.21	3.6	4.02	5.33	91.44	102.1
ISK 50246	0.21	3.725	4.145	5.33	94.62	105.28
ISK 50247	0.21	3.85	4.27	5.33	97.79	108.45
ISK 50248	0.21	3.975	4.395	5.33	100.97	111.63
ISK 50249	0.21	4.1	4.52	5.33	104.14	114.8
ISK 50250	0.21	4.225	4.645	5.33	107.32	117.98
ISK 50251	0.21	4.35	4.77	5.33	110.49	121.15
ISK 50252	0.21	4.475	4.895	5.33	113.67	124.33
ISK 50253	0.21	4.6	5.02	5.33	116.84	127.5
ISK 50254	0.21	4.725	5.145	5.33	120.02	130.68
ISK 50255	0.21	4.85	5.27	5.33	123.19	133.85
ISK 50256	0.21	4.975	5.395	5.33	126.37	137.03
ISK 50257	0.21	5.1	5.52	5.33	129.54	140.2
ISK 50258	0.21	5.225	5.645	5.33	132.72	143.38
ISK 50259	0.21	5.35	5.77	5.33	135.89	146.55
ISK 50260	0.21	5.475	5.895	5.33	139.07	149.73
ISK 50261	0.21	5.6	6.02	5.33	142.24	152.9
ISK 50262	0.21	5.725	6.145	5.33	145.42	156.08
ISK 50263	0.21	5.85	6.27	5.33	148.59	159.25
ISK 50264	0.21	5.975	6.395	5.33	151.77	162.43
ISK 50265	0.21	6.225	6.645	5.33	158.12	168.78
ISK 50266	0.21	6.475	6.895	5.33	164.47	175.13
ISK 50267	0.21	6.725	7.145	5.33	170.82	181.48
ISK 50268	0.21	6.975	7.395	5.33	177.17	187.83
ISK 50269	0.21	7.225	7.645	5.33	183.52	194.18
ISK 50270	0.21	7.475	7.895	5.33	189.87	200.53
ISK 50271	0.21	7.725	8.145	5.33	196.22	206.88
ISK 50272	0.21	7.975	8.395	5.33	202.57	213.23




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50273	0.21	8.225	8.645	5.33	208.92	219.58
ISK 50274	0.21	8.475	8.895	5.33	215.27	225.93
ISK 50275	0.21	8.725	9.145	5.33	221.62	232.28
ISK 50276	0.21	8.975	9.395	5.33	227.97	238.63
ISK 50277	0.21	9.225	9.645	5.33	234.32	244.98
ISK 50278	0.21	9.475	9.895	5.33	240.67	251.33
ISK 50279	0.21	9.725	10.145	5.33	247.02	257.68
ISK 50280	0.21	9.975	10.395	5.33	253.37	264.03
ISK 50281	0.21	10.475	10.895	5.33	266.07	276.73
ISK 50282	0.21	10.975	11.395	5.33	278.77	289.43
ISK 50283	0.21	11.475	11.895	5.33	291.47	302.13
ISK 50284	0.21	11.975	12.395	5.33	304.17	314.83
ISK 50285	0.21	12.975	13.395	5.33	329.57	340.23
ISK 50286	0.21	13.975	14.395	5.33	354.97	365.63
ISK 50287	0.21	14.975	15.395	5.33	380.37	391.03
ISK 50288	0.21	15.955	16.375	5.33	405.26	415.92
ISK 50289	0.21	16.955	17.375	5.33	430.66	441.32
ISK 50290	0.21	17.955	18.375	5.33	456.06	466.72
ISK 50291	0.21	18.955	19.375	5.33	481.46	492.07
ISK 50292	0.21	19.955	20.375	5.33	506.86	517.47
ISK 50293	0.21	20.955	21.375	5.33	532.26	542.87
ISK 50294	0.21	21.955	22.375	5.33	557.66	568.27
ISK 50295	0.21	22.94	23.36	5.33	582.68	593.34
ISK 50296	0.21	23.94	24.36	5.33	608.08	618.74
ISK 50297	0.21	24.94	25.36	5.33	633.48	644.14
ISK 50298	0.21	25.94	26.36	5.33	658.88	669.54




O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50299	0.275	1.35	1.9	6.99	34.29	48.26
ISK 50300	0.275	1.475	2.025	6.99	37.47	51.44
ISK 50301	0.275	1.6	2.15	6.99	40.64	54.61
ISK 50302	0.275	1.725	2.275	6.99	43.82	57.79
ISK 50303	0.275	1.85	2.4	6.99	46.99	60.96
ISK 50304	0.275	1.975	2.525	6.99	50.17	64.14
ISK 50305	0.275	2.1	2.65	6.99	53.34	67.31
ISK 50306	0.275	2.225	2.775	6.99	56.52	70.49
ISK 50307	0.275	2.35	2.9	6.99	59.69	73.66
ISK 50308	0.275	2.475	3.025	6.99	62.87	76.84
ISK 50309	0.275	2.6	3.15	6.99	66.04	80.01
ISK 50310	0.275	2.725	3.275	6.99	69.22	83.19
ISK 50311	0.275	2.85	3.4	6.99	72.39	86.36
ISK 50312	0.275	2.975	3.525	6.99	75.57	89.54
ISK 50313	0.275	3.1	3.65	6.99	78.74	92.71
ISK 50314	0.275	3.225	3.775	6.99	81.92	95.89
ISK 50315	0.275	3.35	3.9	6.99	85.09	99.06
ISK 50316	0.275	3.475	4.025	6.99	88.27	102.24
ISK 50317	0.275	3.6	4.15	6.99	91.44	105.41
ISK 50318	0.275	3.725	4.275	6.99	94.62	108.59
ISK 50319	0.275	3.85	4.4	6.99	97.79	111.76
ISK 50320	0.275	3.975	4.525	6.99	100.97	114.94
ISK 50321	0.275	4.1	4.65	6.99	104.14	118.11
ISK 50322	0.275	4.225	4.775	6.99	107.32	121.29
ISK 50323	0.275	4.35	4.9	6.99	110.49	124.46
ISK 50324	0.275	4.475	5.025	6.99	113.67	127.65
ISK 50325	0.275	4.6	5.15	6.99	116.84	130.82
ISK 50326	0.275	4.725	5.275	6.99	120.02	134
ISK 50327	0.275	4.85	5.4	6.99	123.19	137.17
ISK 50328	0.275	4.975	5.525	6.99	126.37	140.35
ISK 50329	0.275	5.1	5.65	6.99	129.54	143.52
ISK 50330	0.275	5.225	5.775	6.99	132.72	146.7
ISK 50331	0.275	5.35	5.9	6.99	135.89	149.87
ISK 50332	0.275	5.475	6.025	6.99	139.07	153.05
ISK 50333	0.275	5.6	6.15	6.99	142.24	156.22
ISK 50334	0.275	5.725	6.275	6.99	145.42	159.4
ISK 50335	0.275	5.85	6.4	6.99	148.59	162.57
ISK 50336	0.275	5.975	6.525	6.99	151.77	165.75
ISK 50337	0.275	6.225	6.775	6.99	158.12	172.1
ISK 50338	0.275	6.475	7.025	6.99	164.47	178.45



O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50338	0.275	6.475	7.025	6.99	164.47	178.45
ISK 50339	0.275	6.725	7.275	6.99	170.82	184.8
ISK 50340	0.275	6.975	7.525	6.99	177.17	191.15
ISK 50341	0.275	7.225	7.775	6.99	183.52	197.5
ISK 50342	0.275	7.475	8.025	6.99	189.87	203.85
ISK 50343	0.275	7.725	8.275	6.99	196.22	210.2
ISK 50344	0.275	7.975	8.525	6.99	202.57	216.55
ISK 50345	0.275	8.475	9.025	6.99	215.27	229.25
ISK 50346	0.275	8.975	9.525	6.99	227.97	241.95
ISK 50347	0.275	9.475	10.025	6.99	240.67	254.65
ISK 50348	0.275	9.975	10.525	6.99	253.37	267.35
ISK 50349	0.275	10.475	11.025	6.99	266.07	280.05
ISK 50350	0.275	10.975	11.525	6.99	278.77	292.75
ISK 50351	0.275	11.475	12.025	6.99	291.47	305.45
ISK 50352	0.275	11.975	12.525	6.99	304.17	318.15
ISK 50353	0.275	12.475	13.025	6.99	316.87	330.85
ISK 50354	0.275	12.975	13.525	6.99	329.57	343.55
ISK 50355	0.275	13.457	14.007	6.99	342.27	356.25
ISK 50356	0.275	13.975	14.525	6.99	354.97	368.95
ISK 50357	0.275	14.475	15.025	6.99	367.67	381.65
ISK 50358	0.275	14.975	15.525	6.99	380.37	394.35
ISK 50359	0.275	15.475	16.025	6.99	393.07	407.05
ISK 50360	0.275	15.955	16.505	6.99	405.26	419.24
ISK 50361	0.275	16.455	17.005	6.99	417.96	431.94
ISK 50362	0.275	16.955	17.505	6.99	430.66	444.64
ISK 50363	0.275	17.455	18.005	6.99	443.36	457.34
ISK 50364	0.275	17.955	18.505	6.99	456.06	470.04
ISK 50365	0.275	18.455	19.005	6.99	468.76	482.74
ISK 50366	0.275	18.955	19.505	6.99	481.46	495.44
ISK 50367	0.275	19.455	20.005	6.99	494.16	508.14
ISK 50368	0.275	19.955	20.505	6.99	506.86	520.84
ISK 50369	0.275	20.955	21.505	6.99	532.26	546.24
ISK 50370	0.275	21.955	22.505	6.99	557.66	571.64



O-Ring Standard Sizes

ORING SIZE	C.S. Inch	I.D. Inch	O.D. Inch	C.S. MM	I.D. MM	O.D. MM
ISK 50371	0.275	22.94	23.49	6.99	582.68	596.66
ISK 50372	0.275	23.94	24.49	6.99	608.08	622.06
ISK 50373	0.275	24.94	25.49	6.99	633.48	647.46
ISK 50374	0.275	25.94	26.49	6.99	658.88	672.86
ISK 50375	0.056	0.185	0.297	1.42	4.7	7.54
ISK 50376	0.064	0.239	0.367	1.63	6.07	9.33
ISK 50377	0.064	0.301	0.429	1.63	7.65	10.91
ISK 50378	0.072	0.351	0.495	1.83	8.92	12.58
ISK 50379	0.072	0.414	0.558	1.83	10.52	14.18
ISK 50380	0.078	0.468	0.624	1.98	11.89	15.85
ISK 50381	0.082	0.53	0.694	2.08	13.46	17.62
ISK 50382	0.087	0.644	0.818	2.21	16.36	20.78
ISK 50383	0.097	0.706	0.9	2.46	17.93	22.85
ISK 50384	0.097	0.755	0.949	2.46	19.18	24.1
ISK 50385	0.116	0.863	1.095	2.95	21.92	27.82
ISK 50386	0.116	0.924	1.156	2.95	23.47	29.37
ISK 50387	0.116	0.986	1.218	2.95	25.04	30.94
ISK 50388	0.116	1.047	1.279	2.95	26.59	32.49
ISK 50389	0.116	1.171	1.403	2.95	29.74	35.64
ISK 50390	0.116	1.355	1.587	2.95	34.42	40.32
ISK 50391	0.116	1.475	1.707	3	37.47	43.47
ISK 50392	0.116	1.72	1.952	3	43.69	49.69
ISK 50393	0.116	2.09	2.322	3	53.09	59.09
ISK 50394	0.116	2.337	2.569	3	59.36	65.36